

## D.T3.4.2.

# SIMONA tool beta version user guide

FOR TESTING THE TOOL BY SIMONA MEMBERS (not public)

Beta version is a proposal for the SIMONA IT-tool by Geonardo Ltd., does not yet reflect the opinion of the SIMONA membership.




Figure 1 Welcome screen of the SIMONA IT Tool

PROJECT TITLE Sediment-quality Information, Monitoring and Assessment System to support transnational cooperation for joint Danube Basin water management

ACRONYM SIMONA

PROJECT DURATION 1st June 2018 to 30th Nov 2021, 42 months

**AUTHOR:**

Bese PÁL, HU, Geonardo Environmental Technologies Ltd.  
Contact to the authors: [bese.pal@geonardo.com](mailto:bese.pal@geonardo.com)

**RESPONSIBLE OF THE DELIVERABLE:**

Bese PÁL, HU, Geonardo Environmental Technologies Ltd.

**CO-RESPONSIBLE(S) OF THE DELIVERABLE:**

András SZÉKÁCS, Mária MÖRTL, Katalin Mária DUDÁS and Gyozo JORDÁN  
HU, Hungarian University of Agriculture and Life Sciences

**EDITING:**

Bese PÁL, HU, Geonardo Environmental Technologies Ltd.

**DATE OF PREPARATION**


13/10/2021

**For further information on the project, partnership and the Danube Transnational Programme:**

[www.interreg-danube.eu/simona](http://www.interreg-danube.eu/simona)



**FIND SIMONA PROTOCOLS ON THE WEBSITE!**



**Table of Contents**

**1. Summary..... 4**

**2. Introduction ..... 4**

    2.1. Purpose of this document .....4

    2.2. References .....4

**3. Definitions, acronyms and abbreviations..... 4**

**4. User stories..... 4**

    4.1. Overview .....4

    4.2. Browsing publicly available data .....5

    4.3. Registration.....8

    4.4. Monitoring site details .....9

    4.5. Recording monitoring site observation data ..... 12

    4.6. Submitting sediment sample data ..... 13

    4.7. Uploading laboratory results..... 14


    4.8. Data analysis..... 15

    4.9. Exporting WISE compatible reports..... 15

    4.10. Add new monitoring site ..... 16

    4.11. Manage quality standards ..... 16

SIMONA



## 1. SUMMARY

The SIMONA-Tool IT application is a web application for collecting, analysing sediment sample data, running risk evaluation and generating water quality reports. The software has been launched for beta testing and access has been given to a selected group of test users. This document aims to support the testing phase by describing the system's available functions.

## 2. INTRODUCTION

### 2.1. Purpose of this document

This document gives a high-level, easy-to-understand overview about the user interface and available functions of the SIMONA-Tool IT application.

### 2.2. References

- [SIMONA IT Tool](#)
- [Eionet Data Dictionary](#)

## 3. DEFINITIONS, ACRONYMS AND ABBREVIATIONS


CAS	Chemical Abstracts Service
GDPR	General Data Protection Regulation
QS	Quality Standard
WISE	Water Information for Europe

Table 1 Definitions and abbreviations

## 4. USER STORIES

### 4.1. Overview

User story is an informal, natural language description of features of a software system. In this document the SIMONA-Tool's functions are demonstrated through user stories, written from the perspective of the end user.



## 4.2. Browsing publicly available data

Several features are openly available to visitors without having a registered account. These are primarily related to browsing water quality monitoring sites and getting an overview of the latest water quality status. The tool can be launched from the main navigation bar or by clicking on *Launch the tool* button on the welcome screen.




Figure 2 Launch the tool button highlighted on the welcome screen

### 4.2.1 User interface elements

The layout of the tool's screen is divided into six main panels:

1. *Main navigation bar*  
On the top of the screen the main navigation bar provides links to other parts of the web application.
2. *Map*  
The central element of the user interface is the map displaying information about monitoring sites, water bodies and water quality status evaluation results.
3. *Search-by-address tool*  
For quicker navigation the tool provides this search tools that allows users to enter a postal address then move the centre of the map to the corresponding geolocation.
4. *Layers*  
On the aside panel, using the switches users can specify the kind of data to be displayed on the map. By default, surface waterbody monitoring sites and water quality status layers are selected. These layers are displayed on the map as interactive markers. By clicking those markers further details are available.
5. *Quality standard manager*  
For specific user groups the quality standard manager is available on the aside panel that allows them to set up or update quality standards by specifying concentration threshold values against specific substances.
6. *Monitoring site browser*  
Monitoring sites are listed at the bottom of the screen. Filtering by countries and searching by keyword is available above the list. Each record on the list provides a button that sets the centre of the map to the corresponding monitoring site's coordinates.




Figure 4 Main user interface elements




Figure 3 Mobile layout

The layout is divided by two collapsible panel: one horizontal and on vertical. In case there is not enough space on the device’s screen (e.g., on mobile devices) the tool automatically hides the supporting panels that can manually be opened again.

### 4.2.2 Searching for monitoring site

Information provided by the tool is primarily available linked to specific monitoring sites. Hence a key action is to find the monitoring site of interest. The tools support this action in the following three ways.

Geolocation	The map is centred to the device’s current location, if available.
Geocoding service	Using the search-by-address tool sites can be found by address.
Search by keyword	Monitoring sites can be found by their name using the free text search method provided by the list view on the bottom panel.

Table 2 Supporting methods for finding monitoring sites

Geocoding service allows the user to enter parts of the monitoring site’s address then select the specific address from the suggestion list.



Figure 5 Geocoding service displaying suggestions

Monitoring site list can also be used for search for a monitoring site. By entering a keyword, the list gets filtered and shows buttons that moves the map to the specific monitoring site.





Figure 6 Filtered monitoring site list



### 4.2.3 Monitoring site details

Basic monitoring site details are openly available to visitors that can be accessed by clicking on the marker of the site. Markers are linked to summary popups listing basic details about the site and the current water quality evaluation results.




Figure 7 Monitoring site summary

### 4.3. Registration

Registering an account is open to everyone and requires minimum amount of data to be entered: first name, last name and email address. These data will be stored by the platform hence subject of *GDPR* and the user needs to read and accept the privacy policy first.





Figure 8 Simplified registration form

After submitting the basic personal information, a confirmation email is sent to the given email account containing a custom link that can be used to verify it.






Figure 9 Confirmation email sent after account registration

## 4.4. Monitoring site details

Registered users have access to more information associated to a monitoring site depending on their role.

### 4.4.1 Risk evaluation results

Risk assessment with regards to the selected monitoring site against a specific quality standard can be quickly carried out on the *Overview* tab of the *Monitoring Site Details* dialog. Using the drop-down list at the top of the panel one can select a quality standard. Once the standard is selected, the assessment gets performed using the threshold values defined by the standard. On the result view components are listed along with the corresponding status and risk results.

Substance	QS	Uncertainty	Status	Risk
Anthracene	1.5	1.16667	good	low
Arsenic	1.3	1.16667	bad	high
Benzo(a)pyrene	1.3	1.16667	good	low
Benzo(g,h,i)perylene	1.3	1.16667	good	low
Cadmium	1.3	1.16667	bad	high
Chromium	1.3	1.16667	bad	high
Copper	1.3	1.16667	bad	high
Dicofol	1.3	1.16667	good	low

Figure 10 Assessment results by substances

### 4.4.2 General geographic details

Monitoring sites belong to a specific geographic location. Following the *WISE* geographic classification, the relevant water body, sub unit and river basin district is shown. Each feature is linked to their Eionet Data Dictionary record.




Figure 11 Geographic details of monitoring site

### 4.4.3 Monitoring site observations

Observation data collected during surveillance monitoring about the site is listed under the *Site Observations* tab. The list shows each record of observations where details can be edited and documents can be stored.




Figure 12 List of recorded monitoring site observations



### 4.4.4 Sediment samplings

Sediment samplings in the system represent the observation event when sediment samples are collected. On the *Sediment samplings* tab such recorded events are listed.




Figure 13 Sediment samplings that took place at the monitoring site

### 4.4.5 Laboratory results

On the *Laboratory results* tab actual concentration information is shown for each sample collected under the registered samplings. This data is produced by laboratories as a result of the analysis of samples.





Figure 14 List of measured concentration details of components



### 4.4.6 Assessments

For researchers the *Assessment* tab allows to run quick risk evaluation against a single substance.




Figure 15 Custom assessment

### 4.5. Recording monitoring site observation data

Monitoring site observation data can be submitted by filling in the *Site Observation* form, specifying observation details in the following categories:

- Monitoring site identification
- Hydromorphology
- Hydrography
- Water quality
- Physiography
- Other site-specific features




Figure 16 Monitoring site observation form

#### 4.6. Submitting sediment sample data

Sediment samples belong to samplings, therefore, details about the observation (e.g., sampling date, weather and water conditions) need to be entered. Once this information is given arbitrary number of samples can be added to the sampling.

Figure 17 Sediment sampling details

In the 2<sup>nd</sup> step information about each sample is requested.



The 'Sample' dialog box is divided into three main sections: SAMPLE IDENTIFICATION, SAMPLING DETAILS, and SAMPLE DESCRIPTION. It contains various input fields, dropdown menus, and toggle switches for configuring sample parameters.

Figure 18 Sediment sample details

### 4.7. Uploading laboratory results

On the *Laboratory results* tab of the *Monitoring Site Details* dialog – for those who are allowed to upload – a file upload panel is available. Using the drag-n-drop method laboratory results can be submitted as an Excel spreadsheet.

The 'Monitoring Site Details' dialog box has a navigation bar with tabs: NERAL DETAILS, SITE OBSERVATIONS, SEDIMENT SAMPLINGS, LABORATORY RESULTS (selected), and ASSESSMENT. The main area contains a large box with the text 'Drop files here to upload'.

Figure 19 Panel for uploading laboratory results

The scheme of the spreadsheet must follow a predefined structure to be processable by the system. Namely, all the components need to be referenced by their CAS code and associated to a sample identifier generated by the tool.

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
	PROJECT	Sample ID	Sampling method	Sampling date	Sample type	Unit	Test Laboratory	Lab ID	As	Cd	Cr	Cu	Hg	Ni	Pb	Zn	Anthracene	Fluoranthene	Benzo(a)pyrene
1	SIMONA	HU101845839/1/FS	vakuum core	2021.08.10	stream sediment 5 cm	mg/kg	Geonardo Lab	20-731/132	38,3	1,59	14,1	54,1	0,13	8,99	195	622	0,0005	0,002	0,001
2	SIMONA	HU101845839/2/FS	spade	2021.08.11	floodplain sediment 40-50 cm	mg/kg	Geonardo Lab	20-731/139	26,1	1,89	12,5	46,1	0,07	7,95	151	355	0,0005	0,001	0,0005
3	SIMONA	HU101845839/3/FS	spade	2021.08.12	floodplain sediment 5 cm	mg/kg	Geonardo Lab	20-731/140	76,6	4,4	40,6	146	0,25	21,2	418	808	0,001	0,01	0,004
4	SIMONA	HU101845839/4/FS	cake sampler	2021.08.13	floodplain sediment 5 cm	mg/kg	Geonardo Lab	20-731/141	69,6	3,99	46,2	120	0,24	25,8	355	813	0,007	0,048	0,022
5	SIMONA	HU101845839/5/FS	barrel	2021.08.14	suspended sediment	mg/kg	Geonardo Lab	20-731/142	0,06	0,04	0,09	0,47	0,001	0,09	0,32	18,1	0,0005	0,07	0,005
6	SIMONA	HU101845839/6/FS	vakuum core	2021.08.15	stream sediment 5 cm	mg/kg	Geonardo Lab	20-731/143	7,82	0,57	26,4	45,9	0,05	15,5	27,8	260	0,0005	0,001	0,0005
7	SIMONA	HU101845839/7/FS	spade	2021.08.16	floodplain sediment 40-50 cm	mg/kg	Geonardo Lab	20-731/150	31,3	2,12	35,4	54,1	0,06	21,7	66,2	466	0,0005	0,001	0,001
8	SIMONA	HU101845839/8/FS	spade	2021.08.17	floodplain sediment 5 cm	mg/kg	Geonardo Lab	20-731/151	11	1,51	39,5	50,7	0,07	25,8	59,9	399	0,0005	0,002	0,001

Figure 20 Laboratory results

### 4.8. Data analysis

For researchers a dedicated *Assessment* tab is available in the *Monitoring Site Details* dialog. It allows the user to carry out custom assessment against the stored laboratory results using four input data: start- and end date of the period of interest, the selected substance and the custom *QS* value.




Figure 21 Assessment input

The assessment results are summarised in a tabular layout as well as listed by observations.

Status	Risk	Uncertainty
bad	high	1.16667

Figure 22 Assessment summary

### 4.9. Exporting WISE compatible reports

Report generation in WISE compatible format is done by the system automatically with no further input required than pressing the *Report* button on the *Monitoring Site Summary* popup.




Figure 23 Downloading WISE compatible report



### 4.10. Add new monitoring site

Monitoring sites can be added to the database by clicking on the map and selecting the *Add new monitoring site* option.




Figure 24 Context popup for adding new site

As a second step the new site’s name is required to be specified. Once it is submitted the site can be accessed.

### 4.11. Manage quality standards

Region managers, national contacts and researchers can manage the system’s quality standard database. From the aside panel the Quality Standard Manager can be launched.




Figure 25 List of quality standards

New quality standard can be added by specifying its name, description and the intended scope of it.






Figure 26 Adding new quality standard

On the detail panel of each quality standard the list of substances is available along with their QS value.





Figure 27 QS values defined by a quality standard



Each value can be updated by clicking on *Edit* and specifying the substance and the threshold in a selected unit of measure.




Figure 28 Editing QS value

